GENERAL INDEX TO VOLUME XXXII

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures and plates, in *italics;* and previously published names and all other matter, in ordinary type.[1]

A

Acerates, 369; *decumbens*, 370
Achyropappus anthemoides, 278
Achyropappus, 267; *mendocinus*, 268; *neo-mexicanus*, 275; *schkuhrioides*, 274, 277
Adaptation: cytoplasmic, of an illegitimate yeast hybrid, 112; Physiology and genetic significance of enzymatic, 139; kinetics of, 152; of yeasts to galactose, 119; populational, biological mechanism of, in yeasts, 140
Adaptive enzymes, formation of, 247
Alethopteris, 330, *348*, *360*
Alper, Charlotte, Ellen Marie Kern and. Multi-dimensional graphical representation for analyzing variation in quantitative characters, 279
Amaryllidaceae of Panama, 12
Amblyopappus mendocinus, 268; *Neo-Mexicanus*, 275
American Carboniferous floras, Contributions to our knowledge of: VII. Some Pteridosperm stems from Iowa, 323
Anantherix angustifolia, 370; *decumbens*, 370; *Nuttalliana*, 370
Anderson, Edgar: and John Jay Finan. Maize in the Yanhuitlán Codex, 361; George F. Carter and. A preliminary survey of maize in the southwestern United States, 297
Andrews, Henry N. Contributions to our knowledge of American Carboniferous floras. VII. Some Pteridosperm stems from Iowa, 323
Annularia, 338
Antelope-horns, 369
Archaeological investigations of maize, 297; map showing areas of, *310*
Asclepiads, Notes on some North American, 369
Asclepias, 369; brevicornu, 369; **capricornu**, 370, ssp. **capricornu**, 371, ssp. **occidentalis**, 371; *decumbens*, 370; Emoryi, 370; longicornu, 369; *nyctaginifolia*, 370; subulata, 370; *viridis*, 370
Asclepiodora, 369; decumbens when treated as an Asclepias, 369; *decumbens*, 370; longipetala, 369; viridis, 369
Aspergillus: niger, biochemical properties of radium strains of, 171, 172; terreus, mutations of, 175, *176*
Asteranthemum, 400; *vulgare*, 407

B

Bacteria: Genetic aspects of virulence in, 187; populational dynamics in, 231; resistance of, to penicillin, 131; sensitivity of, to radiation, 167; Spontaneous mutations of, 223; virus-resistant mutants of, 228; variants active in, 237
Bactericidal power of blood, 206
Bacterium-bacterial virus relationship, Genetics of, 235
Bahia, 266; Bigelovii, 278; biternata, 278; *Gilliesii*, 275; integrifolia, 278; *Neo-Mexicana*, 275; pedata, 278; *schkuhrioides*, 277; Woodhousei, 278
Basketmaker maize, 300
Beadle, G. W., E. L. Tatum and. Biochemical genetics of Neurospora, 125
Biochemical aspects of adaptation, 146
Biochemical genetics of Neurospora, 125
Bomarea **Allenii**, 16; **chiriquina**, 15; hirsuta var. **concolor**, 16
Burmanniaceae of Panama, 42

C

Calamites, 336
Cannaceae of Panama, 74
Carboniferous Floras, American, Contributions to our knowledge of; VII. Some Pteridosperm stems from Iowa, 323
Carter, George F., and Edgar Anderson. A preliminary survey of maize in the southwestern United States, 297
Central American species of Smilacina, A revision of the, 395
Cephalobembix, 267; *neo-mexicana*, 275
Chalkley, H. W., J. P. Greenstein and. The influence of nucleic acid on dehydrogenase systems, 179

[1] For Woodson and Schery's "Flora of Panama" only the plant families and new entities are included in the ANNALS Index, since a complete Index will be appended at the end of each volume of the "Flora."

Charles, Dr. Donald, interpretation of Clematis statistics by, 488
Chicks, inoculation of, with Shigella gallinarum, 189
Clematis: albicoma, 415, var. coactilis, 415; Durandi, 454; Flammula, 454; Fremontii var. Riehlii, 415, *456*, showing naked achene tail, *428*, X C. Pitcheri, 454, *455*, *456*; integrifolia, 415, 453; Jackmani, 454; ochroleuca, 415; Pitcheri, 415, *416*, 454; viticaulis, 415; Viorna showing naked achene tail, *428*
Clematis Fremontii var. Riehlii population in the Ozarks, 413
Clematis Fremontii var. Riehlii, 413: achene of, *428*; distribution of, in Missouri, *416*, 417; flower, *431*, measurements of, 440, 441; germination of seed, 428; glade habitat of, 415, *416*, *432*, *436*; leaves, 443, measurements of, 444, 450, regression of width on length, *445*, *449*, *451*; life history of, 426; morphological variation in, *427*, *435*; plants of, *431*; pollination of, 429; population, 422, hierarchy of subdivisions of, 422, *423*, variation in size, 424; seedling, *428*; sepals of, 434, *435*, *438*; variation, sources of, 453
Clintonia umbellulata, 395
Coal-balls, fossiliferous, 323, 337
Codex, Yanhuitlán, Maize in the, 361; plates from, *362*, *364*, *366*, *368*
Coffea arabica var. maragogipes, Nectria disease of, 287
Coffee, a Nectria disease of, in western Guatemala, 287
Conference on "Gene Action in Micro-organisms": papers given at, 107–249; Discussion of papers, 251
Contributions to our knowledge of American Carboniferous floras. VII. Some Pteridosperm stems from Iowa, 323
Convallaria flexuosa, 404; *racemosa*, 403; *stellata*, 407
Cordaianthus, 324; Shuleri, 324
Corn: in the Southwest, characters of, 299; Basketmaker, 300; Hopi white flour, *320*; Isleta red, *322*; Mexican, 361, *362*, *363*, *364*, *366*, *368*; "Mexican Pyramidal," 363; Papago white flour, *318*; Tesuque, red-and-white, *322*; see Maize
Cytogene hypothesis, 121
Cytogenetic investigations of maize, 297; of yeasts, 107
Cytoplasmic inheritance in yeasts, 107

D

Dandelion: correlation of leaf shape and seed color, 283, *284*, 286; grid map of Washington University campus area indicating neighborhoods, 283, *285*
Dehydrogenase systems, Influence of nucleic acid on, 179
Delbrück, M. Spontaneous mutations of bacteria, 223
Demerec, M. Genetic aspects of changes in Staphylococcus aureus producing strains resistant to various concentrations of penicillin, 131
Density of population of Clematis Fremontii var. Riehlii, 417, 418; map showing glades on which studied, *420*
Dented kernels of maize, 299, *320*
Dioscoreaceae of Panama, 26
Diplophase yeast cultures, 107, *108*, *117*, 142
Discussion of papers given at conference on "Gene Action in Micro-organisms", 251
Disease: of coffee, A Nectria, in western Guatemala, 287, control measures, 294; genetics of resistance to, 200
Distribution: plant, Right-angle grid system for mapping, 283; of Taraxacum, 283, 434

E

Ecologico-behavior study of the Yucca plant and the Yucca moth, 373
Emerson, S. Genetics as a tool for studying gene structure, 243
Emons, Ralph W. A revision of the Central American species of Smilacina, 395
Enzymatic adaptation: The physiology and genetic significance of, 139; Mendelian inheritance and, 114
Enzymes: adaptive, 247; relation of genes to, 125, 243
Erickson, Ralph O. The Clematis Fremontii var. Riehlii population in the Ozarks, 413
Escherichia Coli: effect of radiation on sensitivity of, 165; mutations of, 228
Ethnobotany of southwestern maize, 298

F

Fermentation: of galactose and melibiose, genetic control of adaptation to, 144; of melibiose by diploid and haploid progeny of yeasts, 114, *115*; use of radiation for production of mutations with improved, 165

Finan, John Jay, Edgar Anderson and. Maize in the Yanhuitlán Codex, 361
Flora of Panama, Part III, Fasc. 1 (Juncaceae-Marantaceae), 1
Florestina pedata, 278; platyphylla, 278; viscosissima, 278
Fossil coal balls, 323
Fourth-dimensional representation of species crosses in Nicotiana, *281*
Fowl, domestic, resistance of, to bacteria and viruses, 187
Fusarium stage of Nectria Dodgei, 289

G

Galactose adaptation of yeasts, 119; biochemical aspects of, 149
Galactozymase formation in yeast populations, genetic control of, 141
"Gene action in Micro-organisms," papers given at conference on, 107–249; Discussion of, 251
Gene action in Paramecium, 213
Gene mutation in Clematis, 453
Gene reproduction, 244
Gene structure, Genetics as a tool for studying, 243
Genetic aspects: of changes in Staphylococcus aureus producing strains resistant to various concentrations of penicillin, 131; of virulence in bacteria and viruses, 187
Genetic significance of enzymatic adaptation, 139
Genetics: as a tool for studying gene structure, 243; Biochemical, of Neurospora, 125; of bacterium-bacterial virus relationship, 235; of Clematis Fremontii var. Riehlii, 453; of maize, 297
Glades, Ozark: analysis of Clematis flower variation for different, 440; arrangement of transects, *451*; distribution of, 415; distribution of Clematis Fremontii var. Riehlii on, *416*, 417, 418, *432*; drainage pattern of two clusters, *421*; hierarchy of subdivisions of, 419, 422, *423*; plants growing on, 415; population density studies on, 417, *420*
Gowen, John W. Genetic aspects of virulence in bacteria and viruses, 187
Graphical representation, Multi-dimensional, for analyzing variation in quantitative characters, 279, *281*
Greenstein, J. P., and H. W. Chalkley. The influence of nucleic acid on dehydrogenase systems, 179
Grid system, Right-angle, for mapping plant distribution, 283
Guatemala, western, A Nectria disease of coffee in, 287

H

Haemodoraceae of Panama, 11
Haplophase yeast cultures, 107, 142; cells of, *117*
Heiser, Charles B., Jr. A revision of the genus Schkuhria, 265
Heiser, Dorothy Gaebler. A Nectria disease of coffee in western Guatemala, 287
Heterangium, 327, 335, 336
Hohokam culture in the Southwest, 312
Hollaender, A. The mechanism of radiation effects and the use of radiation for the production of mutations with improved fermentation, 165
Hopkirkia, 267; *anthemoidea*, 272
Hybridization: in Clematis Fremontii var. Riehlii, 453, *455*, 458; in yeasts, 107
Hypomyces, 291; ipomeae, 292, var. major, 292; haematococcus, 292

I

Indians, southwestern: maize of, 298, *306*, *307*; relationship between maize varieties grown by various tribes, *301*, *304*, *305*, *306*, *307*, 308
Influenza A, sensitivity of, against ultraviolet radiation, 165
Inheritance in yeasts, Mendelian and cytoplasmic, 107
Insects: collected on Clematis flowers, 430; taken on Yucca plants, 388; Yucca moth, 373
Introgressive hybridization in Clematis, 458
Iowa, some Pteridosperm stems from, 323
Iridaceae of Panama, 34

J

Jocaste, 400
Jonker, F. P. Burmanniaceae of Panama, 42
Juncaceae of Panama, 1

K

Kappa factor in gene action of Paramecium, 213
Kern, Ellen Marie: Right-angle grid system for mapping plant distribution, 283; and Charlotte Alper. Multi-dimensional graphical representation for analyzing variation in quantitative characters, 279
Killip, E. P. Genus Bomarea in Panama, 14
Kinetics of adaptation, 152

L

Lepidodendron, 323
Liliaceae of Panama, 2
Lindegren, Carl C. Mendelian and cytoplasmic inheritance in yeasts, 107
Liver extracts, mouse and rat, reduction of methylene blue solutions by, 182
Luria, S. E. Genetics of bacterium-bacterial virus relationship, 235

M

Maianthemum racemosum, 403; *stellatum*, 407
Maize: A preliminary survey of, in the southwestern United States, 297; Basket-maker, 300; color differences in, 307; denting character, 299, *301*; diagrams showing relationship between varieties, 300, *301*, 302; "Eastern," 300, *301*, *302*; in the Yanhuitlán Codex, 361, *362*, *364*, *366*, *368*; kernel width, 300; Mexican, 300, *301*, *302*, 361, *362*, *364*, *366*, *368*; "Mexican Pyramidal," 363; Post-Conquest, 361; Pre-Conquest, *363*, southwestern, 298
Maltase molecule, section through, and complementary template, *245*
Maltose molecule, structure of, *244*, *245*
Mapping plant distribution, Right-angle grid system for, 283, *285*
Marantaceae of Panama, 81
Mating types in yeasts, 110, *111*
Mechanism of radiation effects, 165
Medora, 400
Medullosa, 324; subg. Anglorota, 328, *354*; anglica, 325, *354*, var. thiesseni, 328, 338, *354*; centrofilis, 327, *354*; distelica, 327, *354*; Noei, 327; pusilla, 328, *354*; Thompsonii, 324, *325*, 332, *340*, *342*, *346*, *348*, *352*, *354*, *356*, *358*, leaves, 329, restoration, 332, *356*, roots, 331, stelar anatomy, 327, stem and leaf bases, 325
Melibiose, fermentation of, by progeny of Saccharomyces hybrids, 114, *115*
Melibiozymase in yeasts, 116; genetics of ability to form, 155
Mendelian and cytoplasmic inheritance in yeasts, 107
Mesoxylon, 324
Methylene blue, effect of nucleic acid on decolorization of, 180
Mexican maize, 300, 361, *362*, *363*, *364*, *366*, *368*
Mice: resistance of, to bacteria and viruses, 187, *198*; effect of X-ray treatment on, 203
Mieria, 267; *virgata*, 271
Missouri, Clematis Fremontii var. Riehlii in, 415
Morphological variation in Clematis Fremontii var. Riehlii, statistical study of, 427
Morton, C. V. Dioscoreaceae of Panama, 26
Mouse typhoid, genetics of virulence in, 187
Multi-dimensional graphical representation for analyzing variation in quantitative characters, 279, *281*
Musaceae of Panama, 48
Mutations: in Clematis Fremontii var. Riehlii, 453; in Phytomonas Stewartii, 149, *197*; in yeasts, 107; of bacteria, Spontaneous, 223; populations of, 226; relation between bacterial and virus, 240
Myelopteris (Myeloxylon) topekensis, 334
Myeloxylon, 331, 333; Bendixenii, 333, 334, 344, 360; missouriensis, 334; zonatum, 334

N

Nectria, 287; anisophila, 292; Behnickiana, 292; coccidophthora, 292; coccinea var. tropica, 293; coccophila, 292; coffeicola, 292; coffeigena, 292; Dodgei, 288, 296; fruticola, 292; luteopilosa, 292; saccharina, 292; tropica, 292
Nectria disease of coffee in western Guatemala, A, 287; characterization, 292; control measures, 294; inoculation of plants, 294; resistance to, 206; symptoms, 288
Neolexis, 400
Neuropteris, 338
Neurospora, Biochemical genetics of, 125
Nicotiana: alata, 279, flower of, *279*; Langsdorfii, 279, flower of, *279*; species crosses between N. alata and N. Langsdorfii, 279; fourth dimensional representation of, *280*
Notes on some North American Asclepiads, 369
Nucleic acid, Influence of, on dehydrogenase systems, 179

O

Otaria, 370
Ozark glades, Clematis Fremontii var. Riehlii population in the, 415

P

Paleobotanical work on coal balls, 323
Panama, Flora of, Part III, Fasc. 1 (Juncaceae-Marantaceae), 1
Paramecium, Gene action in, 213
Pathogen variation in bacteria and viruses, 189
Pectis pinnata, 268
Penicillin: effect of radiation on yield of, 172; Genetic aspects of changes in Staphylococcus aureus producing strains resistant to various concentrations of, 131
Penicillium notatum, effect of radiation on, 172
Physiology and genetic significance of enzymatic adaptation, 139
Picradeniopsis Woodhousei, 278
Plasmogenes of Saccharomyces cerevisiae, 122
Platyschkuhria integrifolia, 278
Podostigma, 369
Poisson's distribution theory applied to Clematis Fremontii, 417
Polygonastrum, 400; *racemosum*, 403
Pollination in Clematis Fremontii var. Riehlii, 429
Population: adaptations, biological mechanisms of, 140; data on numbers of livestock and humans in Jefferson Co., Mo., *425;* density studies of Clematis Fremontii var. Riehlii, *418, 420;* dynamics in bacteria, 223; evolutionary trends in, 474; hierarchy of subdivisions of, 422, *423;* of Clematis Fremontii var. Riehlii, 422; influence of biotic factors on, 424
Pre-Conquest maize, *363*
Preliminary survey of maize in the southwestern United States, 297
Pronuba, 373; interpretations of behavior in regard to Yucca plant, 390
Pteridosperm stems from Iowa, Some, 323
Pueblo Indians, maize of, 300
Pyramid Coal Mine, fossil plants found in, 323

R

Radiation effects: The mechanism of, and the use of radiation for the production of mutations with improved fermentation, 165; on bacteria, 167; on fungi, 167; on higher organisms, 167; on viruses, 165; on production of mutant strains of Neurospora, 125
Rat and mouse liver extracts, effect of nucleic acids on concentration of methylene blue in, 180
Rau, Phil. The Yucca plant, Yucca filamentosa, and the Yucca moth, Tegeticula (Pronuba) yuccasella Riley: an ecologico-behavior study, 373
Regression of leaf width on leaf length in Clematis Fremontii var. Riehlii, 445, *449, 451*
Resistance: of mice and chicks to bacteria and viruses, 200; of Staphylococcus aureus to penicillin, 132; organ and cellular differentiation in, 205
Revision of the Central American species of Smilacina, 369
Revision of the genus Schkuhria, 265
Rhetinangium, 335; arberi, 336
Right-angle grid system for mapping plant distribution, 283
Riley, Charles V., studies of, on the Yucca plant and Yucca moth, 373
Rothia degenerica, 276; *pinnata α pallida*, 268, *β purpurascens*, 268; *pusilla*, 276
Rous' sarcoma, sensitivity of, against ultraviolet radiation, 165

S

Saccharomyces: cells of hybrid, 114, *115, 117;* Bayanus, 119; carlsbergensis, 114; cerevisiae, 107, *142;* progeny of, 120
Salmonella typhimurium, genetics of virulence in, 187
Schery, Robert W., Robert E. Woodson, Jr. and collaborators. Flora of Panama. Part II, Fasc. 1 (Juncaceae-Marantaceae), 1
Schizosaccharomyces, adaptation of, to galactose fermentation, 145
Schkuhria, A revision of the genus, 265
Schkuhria, 267; *abrotanoides*, 267, 270, var. *isopappa*, 269, 270, var. *pomasquiensis*, 268, 270; *advena*, 268; anthemoidea, 272, var. guatemalensis, 273, var. Wislizenii, 273, f. flava, 274, var. Wrightii, 274; *anthemoides*, 273, 278; *Bigelovii*, 278; *biternata*, 278; *bonariensis*, 268, 270; *coquimbana*, 268; degenerica, 276; *glabrescens*, 271; *glomerata*, 278; Greenmanii, 277; *guatemalensis*, 273; *Hopkirkia*, 272; *integrifolia*, 278; *isopappa*, 268; multiflora, 274, var. pusilla, 276; *multiflora* var. *aristata*, 275; *Neo-Mexicana*, 275; *octoaristata*, 269; *oolepsis*, 276; *pedata*, 278; pinnata, 268, var. abrotanoides, 267, 270, var. octoaristata, 269, var. virgata, 271, f. Pringlei, 271; *pinnata α pallida*, 270, *β purpurascens*, 269; *platyphylla*, 278; *Pringlei*, 271; *pusilla*,

276, var. *aristata*, 275, var. *longepedicellata*, 275, 276, var. *major*, 276; *Schiedei*, 278; schkuhrioides, 277; *senecioides*, 277; *virgata*, 271, 273; *viscosissima*, 278; *Wislizenii*, 273; *Woodhousei*, 278; *Wrightii*, 274
Schopfiastrum decussatum, 334, *350*, *352*, *360*
Segregation, effect of, in producing yeast mutations, 108, *108*
Sepals of Clematis Fremontii var. Riehlii, 434; coil, *435*; color variation of tips, 434, 437; measurement of, 439, 440, manner of measuring, *438*
Shigella gallinarum, virulence of, 187
Sigillaria, 400
Sisyrinchium chiricanum, 40
Smilacaceae of Panama, 6
Smilacina, A revision of the Central American species of, 395
Smilacina, 400; amoena, 403, var. Salvini, 404, *408*; *Bertolonii*, 404; *ciliata*, 395; flexuosa, 404, *410*, var. erubescens, 405; *Gigas*, 402; *laxiflora*, 402; macrophylla, 406, *410*; *nervulosa*, 402; paniculata, 402, *408*; racemosa, 403, var. cylindrata, 403, var. typica, 403; *Salvini*, 404; scilloidea, 405, var. rosea, 406; *scilloidea* var. *acutifolia*, 405; stellata, 407; *thyrsoidea*, 402; trifolia, 395; *umbellata*, 395
Solanos, 369
Sonneborn, T. M. Gene action in Paramecium, 213
Southwest: culture of, 312; map of, showing archeologic areas, *310*, showing linguistic groupings, *311*
Southwestern United States, A preliminary survey of maize in the, 297
Spiegelman, S. The physiology and genetic significance of enzymatic adaptation, 139
Spontaneous mutations of bacteria, 223
Staphylococcus aureus, Genetic aspects of changes in, producing strains resistant to various concentrations of penicillin, 131
Stylandra, 400

T

Taraxacum, 283; distribution of, on Washington University campus, 283, *284*, *285*; system for mapping, 283; types of leaf shape in, *283*
Taraxacum laevigatum, 283; palustre var. vulgare, 283
Tatum, E. L., G. W. Beadle and. Biochemical genetics of Neurospora, 125
Tegeticula (Pronuba) yuccasella, 373
Tetracarpum, 267; *anthemoideum*, 272; *guatemalense*, 273; *Pringlei*, 271; *schkuhrioides*, 277; *virgatum*, 271; *Wislizenii*, 273; *Wrightii*, 274
Thompson, Mr. Frederick O., coal ball specimens of, 323
Tovaria, 400; *flexuosa*, 404; *laxiflora*, 402; *nervulosa*, 402; *paniculata*, 403; *racemosa*, 403; *Salvini*, 404; *scilloidea*, 405; *stellata*, 407; *thyrsoidea*, 402
Tuberculariа vulgaris, 294
Typhoid, mouse, genetics of virulence in, 192

U

Ultraviolet, effects of, on mutations, 165
Unifolium racemosum, 403; *stellatum*, 407

V

Vagnera, 400; *flexuosa*, 404; *racemosa*, 403; *stellata*, 407
Variability in bacteria, relation of, to genetics of virulence, 190
Variants, origin of, 199
Variation: in Clematis Fremontii var. Riehlii, 427, 453; in maize, 297, 299; in yeasts, 107, *108*; in quantitative characters, Multi-dimensional graphical representation for analyzing, 279
Velloziaceae of Panama, 25
Virulence: character basis of, 201; in bacteria and viruses, Genetic aspects of, 187
Virus: multiplication, mechanism of, 238; mutants, 195, 238; relationship, Genetics of bacterium - bacterial, 235; tobacco mosaic, 196
Viruses: effect of radiation on, 165; Genetic aspects of virulence in bacteria and, 187; resistance to, of bacterial mutants, 228

W

Woodson, Robert E., Jr. Notes on some North American Asclepiads, 369; Robert W. Schery and collaborators. Flora of Panama, Part III, Fasc. 1 (Juncaceae-Marantaceae), 105
Wright's mathematical theory of population and evolution, 413

X

X-ray treatment: effect of, on mutation, 170; on strains of mice to reduce resistance to typhoid, *203*, 204

Y

Yanhuitlán Codex, 361: Maize in the, 361; plates from, *362, 364, 366, 368*

Yeast, effect of, on decolorization rate of methylene blue, 182

Yeasts: cytogene hypothesis in, 121; galactozymase formation in populations of, 141; genetic significance of enzymatic adaptation in, 139; Mendelian and cytoplasmic inheritance in, 107

Yucca moth, 373; behavior of, 374, 390; experiments with, 381; interrelationship between Yucca flower and, 374, evolution of, 393

Yucca plant, Yucca filamentosa, and the Yucca moth, Tegeticula (Pronuba) yuccasella Riley: an ecologico-behavior study, 373

Z

Zea Mays, see Maize

Zingiberaceae of Panama, 57